


How I built an electricity producing Solar Panel

It was easy. You can do it too.




Several years ago I bought some remote property in Arizona. I am an [astronomer](#) and wanted a place to practice my hobby far away from the sky-wrecking light pollution found near cities of any real size. I found a great


piece of property. The problem is, it's so remote that there is no electric service available. That's not really a problem. No electricity equals no light pollution. However, it would be nice to have at least a little electricity, since so much of life in the 21st century is dependant on it.

I built a [wind turbine](#) to provide some power on the remote property. It works great, when the wind blows. However, I wanted more power, and more dependable power. The wind seems to blow all the time on my property, except when I really need it too. I do get well over 300 sunny days a year on the property though, so solar power seems like the obvious choice to supplement the [wind turbine](#). Solar panels are very expensive though. So I decided to try my hand at building my own. I used common tools and inexpensive and easy to acquire materials to produce a solar panel that rivals commercial panels in power production, but completely blows them away in price. Read on for step by step instructions on how I did it.


Let me state up front that I probably won't be able to help you out much if you decide to build your own solar panel(s). This web site has become insanely popular, often taxing the bandwidth limits of the server. I get dozens of requests for help each day. I simply don't have time to answer the majority of them. Most of the questions and requests I get are the same ones over and over again. [I have crated a](#)




[The Renewable Energy Handbook](#)



[The Home Owner's Guide to Renewable Energy](#)



[Got Sun? Go Solar](#)



7/4/2009


How I built an electricity producing...

[FAQ](#) to handle these repetitive questions. [Please read it](#) before emailing me. Simple questions, not covered by the [FAQ](#), which only require a quick and simple answer may get replies if time permits. However, there is no way I can help you out with complex issues, teach you electronics theory, help you locate parts, build a charge controller for you, or custom design a system for you. There just aren't enough hours in the day. Sorry.



[Solar Water Heating: A Comprehensive Guide](#)

So what is a solar panel anyway? It is basically a box that holds an array of solar cells. Solar cells are the things that do the actual work of turning sunlight into electricity. However, it takes a lot of cells to make a meaningful amount of power, and they are very fragile, so the individual cells are assembled into panels. The panels hold enough cells to make a useful amount of power and protect the cells from the elements. It doesn't sound too complicated. I was convinced I could do it myself.




[Photovoltaics: Design and Installation Manual](#)

I started out the way I start every project, by Googling for information on home-built solar panels. I was shocked at how few I found. The fact that very few people were building their own panels led me to think it must be harder to do than I thought. The project got shelved for a while, but I never stopped thinking about it.


After a while, I came to some conclusions:

- The main stumbling block to building solar panels is acquiring solar cells at a reasonable price.
- New solar cells are very expensive, and can even sometimes be hard to find in quantity at any price.
- Blemished and damaged solar cells are available on [Ebay](#) and other places at a fraction of the cost of new perfect cells.
- These second rate solar cells could probably be used to make a solar panel that would work just fine.



[The New Complete Book of Self-Sufficiency](#)

Once I came to the realization that I could use blemished and factory-second solar cells to build my panels, I finally got to work. I started by buying some solar cells off of [Ebay](#)



[The Self-sufficient Life and How to Live It](#)



solar cells

Solar Cells For Sale on Ebay Now!

Product

Price Bids Time Left

[HOW TO MAKE FREE ENERGY SOLAR CELLS PANEL STEP BY STEP](#)

\$5.99 *Buy It Now* 34m

[25+ BROKEN SOLAR CELLS, FOR MAKING SOLAR PANELS!!!](#)

\$26.00 15 1h 16m




7/4/2009

How I built an electricity producing...

8 NEW Sharp 216 watt solar panels modules cells	\$7,776.00	Buy it Now	1h 27m
NEW Sharp 130 watt solar panels modules cells	\$585.00	Buy it Now	1h 28m
10 NEW Sharp 130 watt solar panels modules cells	\$5,850.00	Buy it Now	1h 28m
10 brand new solar cells 5"x5" not broken	\$55.95	-	2h 51m
10 brand new solar cells 5"x5" not broken	\$55.95	-	2h 52m
HOW, TO BUILD SOLAR CELLS PANELS ARRAYS DIY=FREE, ENERGY	\$9.95	Buy it Now	3h 12m
25+ BROKEN SOLAR CELLS, FOR MAKING SOLAR PANELS!!!	\$22.50	7	3h 38m
120+ broken solar cells	\$29.95	1	5h 28m
120+ broken solar cells	\$29.95	1	5h 29m
120+ broken solar cells	\$29.95	-	5h 29m

[View all 384 items on eBay](#)

[disclaimer](#)



[Convert It!](#)

eHarmony
Experience
the eHarmony
difference!

[Find My Matches](#)



I bought a couple of bricks of 3 X 6 mono-crystalline solar cells. It takes a total of 36 of these type solar cells wired in series to make a panel. Each cell produces about 1/2 Volt. 36 in series would give about 18 volts

which would be good for charging 12 volt batteries. (Yes, you really need that high a Voltage to effectively charge 12 Volt batteries) This type of solar cell is as thin as paper and as brittle and fragile as glass. They are very easily damaged. The seller of these solar cells dips stacks of 18 in wax to stabilize them and make it easier to ship them without damaging them. The wax is quite a pain to remove though. If you can, find cells for sale that aren't dipped in wax. Keep in mind though that they may suffer some more damage in shipping. Notice that these cells have metal tabs on them. You want cells with tabs on them. You are already going to have to do a lot of soldering to build a panel from tabbed solar cells. If you buy cells without tabs, it will at least double the amount of soldering you have to do. So pay extra for tabbed cells.



I also bought a couple of lots of

right now on
eBay

HOT BRANDS

- Apple iPhone
- Dooney & Bourke
- Nintendo Wii
- Digital Frames
- Garmin Nuvi
- Crocs
- PlayStation 3

Search

[GO!](#)

7/4/2009

How I built an electricity producing...



cells that weren't dipped in wax from another [Ebay](#) seller. These cells came packed in a plastic box. They rattled around in the box and got a little chipped up on the edges

and corners. Minor chips don't really matter too much. They won't reduce the cell's output enough to worry about. These are all blemished and factory seconds anyway. The main reason solar cells get rejected is for chips. So what's another chip or two? All together I bought enough cells to make 2 panels. I knew I'd probably break or otherwise ruin at least a few during construction, so I bought extras.

There are lots of other sizes of solar cells besides 3 X 6 inches available. You could use larger or smaller cells for your panel. Just keep a few things in mind.

- Cells of the same type all produce the same voltage no matter what size they are. So the same number of cells is always needed.
- Larger cells produce more current (Amps) and smaller cells produce less current.
- The total power your panel can produce is determined by Amps X Volts.

So using bigger cells produces more power, but the panel will be large and heavy. Using smaller cells keeps the panel small and light, but won't produce as much power. Also, mixing cell sizes is not a good idea. This is because the current your panel can produce will be limited by the smallest cell in the group and the larger cells won't work to their full potential.

The cells I settled on are 3 X 6 inches in size and are rated at roughly 3 amps. I will wire 36 of them in series to get a little over 18 volts. The result should be a panel capable of delivering almost 60 Watts of power in bright sunlight. It doesn't sound like a lot, but it sure beats no power at all, which is what I had on my property before. And that is 60 Watts all day when the sun is shining. That power will go into charging



Ads by Yahoo!

[How To Build Solar Panels, Easy DIY Kits](#)
Do it Yourself Solar Power. Solar Energy gives you Renewable Energy. SolarPanelKits

[Cheap DIY Solar Panels, \\$49 Kit](#)
How I make \$200 solar panels & Save on Electric. Let me show you how. diysolarenergy4ho

[New Jersey Electrician 973-856-7577](#)
From one outlet to an entire svc we will get the job done right low \$. allweathermovingp

[electric solar panels](#)
Local Resources about electric solar panels. SolarEnergyPowers

7/4/2009

How I built an electricity producing...


batteries which will primarily be used for powering lights and small appliances for only a few hours after dark. Once I go to bed, my power requirements drop to almost nothing. So 60 Watts is actually quite a lot of useful power, especially when I also have my [wind turbine](#) adding to the power production when the wind is blowing.

After you buy your solar cells, put them away in a safe place where they won't get dropped, played with by the kids, or eaten by the dog until you are ready to install them in the panel. These cells are very fragile. Rough treatment and excessive handling will turn your expensive solar cells into little, blue, shiny shards that aren't useful for anything.



A solar panel is really just a shallow box. So I started out by building myself a shallow box. I made the box shallow so the sides wouldn't shade the solar cells when the sun comes at an angle from the sides. It is made of 3/8

inch thick plywood with 3/4 X 3/4 pieces of wood around the edges. The pieces are glued and screwed in place. This panel will hold 36 3 X 6 inch solar cells. I decided to make 2 sub-panels of 18 cells each just so make it easier to assemble later. So there is a center divider across the middle of the box. Each sub-panel will fit into one well in the main panel.



Here is my sort of back of the envelope sketch showing the overall dimensions of the solar panel. All dimensions are in inches (sorry you fans

CherryBlossoms.com

WE'VE BEEN
HELPING LOVE
Blossom
WORLD-WIDE
FOR OVER 30 YEARS.

[CLICK HERE](#)

garden art



weather instruments



weathervanes



weather stations




fast shipping
superb value
great service

Wind & Weather.

Click on a lady to learn how to meet her.

7/4/2009

How I built an electricity producing...



of the metric system). The side pieces are $\frac{3}{4}$ by $\frac{3}{4}$ and go all the way

around the edges of the plywood substrate. also a piece goes across the center to divide the panel into two sub-panels. This is just the way I chose to do it. There is nothing critical about these dimensions, or even the overall design. Feel free to deviate in your own design. These dimensions are included here for those people who always clamor for me to include dimensions on my projects. I always encourage people to experiment and innovate on their own, rather than blindly follow the way I (or anyone else) does things. You may well come up with a better design.



Here is a close-up showing one half of the main panel. This well will hold one 18 cell sub-panel. Notice the little holes drilled in the edges of the well. This will be the bottom of the panel (it is upside down in the photo,

sorry). These are vent holes to keep the air pressure inside the panel equalized with the outside, and to let moisture escape. These holes must be on the bottom of the panel or rain and dew will run inside. There must also be vent holes in the center divider between the two sub panels.




Next I cut two pieces of masonite peg-board to fit inside the wells. These pieces of peg-board will be the



1108017041.com

7/4/2009

How I built an electricity producing...



substrates that each sub-panel will be built on. They were cut to be a loose fit in the wells. You don't have

to use peg-board for this. I just happened to have some on hand. Just about any thin, rigid and non-conducting material should work.



To protect the solar cells from the weather, the panel will have a plexiglass front. Here two pieces of scrap plexiglass have been cut to fit the front of the panel. I didn't have one piece big enough to do the whole

thing. Glass could also be used for this, but glass is fragile. Hail stones and flying debris that would shatter glass will just bounce off the plexi. Now you can start to see what the finished panel will look like.



Oops! This photo shows a close-up of where the two halves of the plexiglass cover meet over the center divider. I drilled and countersunk holes all around the edges of both pieces of plexiglass so I could screw

MOBBYTRON.COM
 The Web's Most Popular Hobby / Educational / Toy Store!

NITRO RC RACE CARS!

ELECTRIC RC RACE CARS!

AIRSOFT GUNS AND MUCH MORE!

RC MONSTER TRUCKS

We carry a large selection of RC Race Cars, FM Transmitters, Toys, Robots, Science, Magic Tricks, Electronics, and much, much, more!
[CLICK HERE!](#)

We're a computer geek's dream come true!

Thousands of hard-to-find network data & communication products in stock

7/4/2009

How I built an electricity producing...

them onto the face of the panel with 1 inch drywall screws. Be careful working close to the edge of the plexi. If you get too aggressive it will break, as happened here. I just glued the broken piece back in and drilled another hole a short distance away.



Next I gave all the wooden parts of the panel several coats of paint to protect them from moisture and the weather. The box was painted inside and out. The type of paint and color was scientifically

chosen by shaking all the paint cans I had laying around in my garage and choosing the one that felt like it had enough left in it to do the whole job.



The peg-board pieces were also painted. They got several coats on both sides. Be sure to paint them on both sides or they will curl when exposed to moisture. Curling could damage the solar cells that

will be glued to them.



7/4/2009

How I built an electricity producing...

Now that I had the structure of the panel finished, it was time to get the solar cells ready



As I said above, getting the wax off the cells is a real pain. After some trial and error, I came up with a way that works fairly well. Still, I would recommend buying from someone who doesn't dip their cells in wax.

The first step is a bath in hot water to melt the wax and separate the cells from each other. Don't let the water boil or the bubbles will jostle the cells against each other violently. Also, boiling water may be hot enough to loosen the electrical connections on the cells. I also recommend putting the brick of cells in the water cold, and then slowly heating it up to just below boiling temperature to avoid harsh thermal shocks to the cells. Plastic tongs and spatulas come in handy for teasing the cells apart once the wax melts. Try not to pull too hard on the metal tabs or they may rip off. I found that out the hard way while trying to separate the cells. Good thing I bought extras.



This photo shows the complete setup I used. My girlfriend asked what I was cooking. Imagine her surprise when I said solar cells. The initial hot water bath for melting the wax is in the right-rear. On the

Find Your Graduating Class



I graduated in:

1995	▲
1985	▭
1975	▭
1965	▭
1955	▼

 classmates.com

7/4/2009

How I built an electricity producing...

left-front is a bath of hot soapy water. On the right-front is a bath of hot clean water. All the pots are at just below boiling temperature. The sequence I used was to melt the bricks apart in the hot water bath on the right-rear. I'd tease the cells apart and transfer them one at a time to the soapy water bath on the left-front to remove any wax on the cell. Then the cell would be given a rinse in the hot clean water on the right-front. The cells would then be set out to dry on a towel. You should change the water frequently in the soapy and rinse water baths. Don't pour the water down the sink though, because the wax will solidify in your drains and clog them up. Dump the water outside. This process removed almost all the wax from the cells. There is still a very light film on some of the cells, but it doesn't seem to interfere with soldering or the working of the cells. A solvent bath would probably remove the rest of the wax, but that would be dangerous and stinky since the only solvents I could think of that would cut wax are either flammable, toxic or smelly, or all three.



Here are some separated and cleaned solar cells drying on a towel. Once separated from their wax stabilized brick form, they are amazingly fragile and difficult to handle and store. I would recommend


leaving them as bricks until you are ready to install them in your panel. That way you won't wreck them before you get to use them. So build the panel first. Now it's time to start installing them in the panel



I started out by drawing a grid pattern on each of the two pieces of pegboard, lightly in pencil, so I would know

7/4/2009


How I built an electricity producing...



where each of the 18 cells on them would be located. Then I laid out the cells on that grid pattern


upside-down so I could solder them together. All 18 cells on each half panel need to be soldered together in series, then both half panels need to be connected in series to get the desired voltage.

Soldering the cells together was tricky at first, but I got the hang of it fairly quickly. Start out with just two cells upside-down. Lay the solder tabs of one cell across the solder points on the back of the other cell. I made sure the spacing between the cells matched the grid pattern.



I used a low-Wattage soldering iron and fine rosen-core solder. I also used a rosen pen on the solder points on the back of the cells before soldering. Use a real light touch with the soldering iron.


The cells are thin and delicate. If you push too hard, you will break the cells. I got careless a couple of times and scrapped a couple of cells.



I repeated the above steps and soldered solar cells together until I had a string of six cells. I soldered tabs from scrapped cells to the

7/4/2009


How I built an electricity producing...



solder points on the back of the last cell in the string of six. Then I repeated

the whole process two more times to get three strings of six cells for a total of 18 for this half of the panel.

The three strings of cells need to be wired in series. So the middle string needs to be rotated 180 degrees with respect to the other two. I got the strings oriented the way I wanted them (still upside-down) on top of the pegboard panel before the next step of gluing the cells in place.



Gluing the cells in place proved to be a little tricky. I placed a small blob of clear silicone caulk in the center of each cell in a six cell string. Then I flipped the string over and set in place on the pencil line grid I had laid

out earlier. I pressed lightly in the center of each cell to get it to stick to the pegboard panel. Flipping the floppy string of cells is tricky. Another set of hands may be useful in during this step.

Don't use too much glue, and don't glue the cells anywhere but at their centers. The cells and the panel they are mounted on will expand, contract, flex and warp with changes in temperature and humidity. If you glue the cells too tightly to the substrate, they will crack in time. Gluing them at only one point in the center allows the cells to float freely on top of the substrate. Both can expand and flex more or less independently, and the delicate solar cells won't crack.



Next time I will do it differently. I will solder tabs

7/4/2009


How I built an electricity producing...



onto the backs of all the solar cells. Then I will glue all the cells down in their proper places. Then I will solder the tabs together. It seems like the obvious way to go to me now,

but I had to do it the hard way once to figure it out.

Here is one half panel, finally finished.



Here I used copper braid to interconnect first and second strings of cells. You could use solar cell tabbing material or even regular wire. I just happened to have the braid on hand. There is another similar

interconnection between the second and third strings at the opposite end of the board. I used blobs of silicone caulk to anchor the braid and prevent it from flopping around.



Here I am testing first half panel outside in the sun. In weak sun through clouds the half panel is producing 9.31 Volts. YAHOO!

7/4/2009

How I built an electricity producing...



It works! Now all I had to do is build another one just like it.

Once I had two half panels complete, I could install them in their places in the main panel frame and wire them together.

Once I had two

half panels complete, I could install them in their places in the main panel frame and wire them together.



Each of the half panels dropped right into their places in the main panel frame. I used four small screws (like the silver one in the photo) to anchor each of the half panels in place.



Wires to connect the two half panels together were run through the vent holes in the central divider. Again, blobs of silicone caulk were used to anchor the wire in place and prevent it from flopping

around.



Each solar

7/4/2009


How I built an electricity producing...



panel in a solar power system needs a blocking diode in series with it to prevent the panel from discharging your batteries at night or during cloudy weather. I used a Schottky diode with a 3.3

Amp current rating. Schottky diodes have a much lower forward voltage drop than ordinary rectifier diodes, so less power is wasted. Every Watt counts. I got a package of 25 31DQ03 Schottky diodes on [Ebay](#) for only a few bucks. So I have enough left-overs for lots more solar panels

My original plan was to mount the diode inline with the positive wire outside the panel. After looking at the spec-sheet for the diode though, I decided to mount it inside since the forward voltage drop gets lower as the temperature rises. It will be warmer inside the panel and the diode will work more efficiently. More silicone caulk was used to anchor the diode and wires.



I drilled a hole in the back of the panel near the top for the wires to exit. I put a knot in the wires for strain relief, and anchored them in place with yet more of the silicone caulk.


It is important to let all the

silicone caulk cure well before screwing the plexiglass covers in place. I have found through past experience that the fumes from the caulk may leave a film on the inside of the plexiglass and the cells if it isn't allowed

7/4/2009

How I built an electricity producing...

to thoroughly cure in the open air before screwing on the cover.




And still more silicone caulk was used to seal the outside of the panel where the wires exit.



I added a polarized two-pin jones plug to the end of the panel wires. A mating female plug will be wired into the charge controller I use with my [home-built wind turbine](#) so the solar panel can supplement it's

power production and battery charging capacity.



Here is the completed panel with the plexiglass covers screwed into place. It isn't sealed shut yet at this point. I wanted to wait until after

7/4/2009

How I built an electricity producing...



testing it because was worried that I might have to get back inside

it if there were problems. Sure enough, a tab popped off one of the cells. Maybe it was due to thermal stresses or shock from handling. Who knows? I opened up the panel and replaced that one cell. I haven't had any more trouble since. I will probably seal the panel with either a bead of silicone caulk, or aluminum AC duct tape wrapped around the edges.



Here I am testing the Voltage output of the completed panel in bright winter sunlight. My meter says 18.88 Volts with no load. That's exactly what I was aiming for.



Here I am testing the current capacity of the panel, again in bright winter sunlight. My meter says 3.05 Amps short circuit current. That is right about what the cells are rated for. So the panel is working very

well.

7/4/2009

How I built an electricity producing...

So how much did all this cost to build? Well, I saved all the receipts for everything I bought related to this project. Also, my workshop is well stocked with all sorts of building supplies and hardware. I also have a lot of useful scrap pieces of wood, wire and all sorts of miscellaneous stuff (some would say junk) laying around the shop. So I had a lot of stuff on hand already. Your milage may vary.

Part	Origin	Cost
Solar Cells	Ebay	\$74.00*
Misc. Lumber	Homecenter Store	\$20.62
Plexiglass	Scrap Pile	\$0.00
Screws & Misc. Hardware	Already on hand	\$0.00
Silicone Caulk	Homecenter Store	\$3.95
Wire	Already on hand	\$0.00
Diode	Ebay	\$0.20±
Jones Plug	Newark Electronics	\$6.08
Paint	Already on hand	\$0.00
Total		\$104.85

Not too bad. That's a fraction of what a commercially made solar panel with a comparable power output would cost, and it was easy. I already have plans to build more panels to add to the capacity of my system. I'll post more here as the project evolves. Stay tuned

* I actually bought 4 lots of 18 solar cells. This price represents only the two lots that went into building this panel. Also, the price of factory second solar cells on [Ebay](#) has gone up quite a lot recently as oil prices have skyrocketed.

± This price represents 1 out of a lot of 25 diodes I bought on [Ebay](#) for \$5.00.

UPDATE 07/18/08



Once again I stayed on my remote property during my recent vacation in Arizona. This time I had both my [home-built wind turbine](#)

7/4/2009

How I built an electricity producing...



and my home-built solar panel with me. Working together, they

provided plenty of power for my (admittedly minimal) electricity needs.



Here is a close-up of the solar panel in action. I have to move it several times each day to keep it pointed at the sun, but that isn't really a big hardship. Maybe someday I will build a tracking system to

automatically keep it aimed at the sun.

[\[Back to Mike's Homepage\]](#) [\[Email me\]](#)

Other places to visit:

[\[Mike's telescope workshop\]](#) [\[Mike's home-built jet engine page\]](#)

[\[Mike's Home-Built Wind Turbine page\]](#) [\[Mike's gold prospecting page\]](#)

© Copyright 2008-2009 Michael Davis, All rights reserved.